

PRIMELUXE

INDIA'S

No. 1

LUXURIOUS
QUALITY BRAND
RECOMENDED BY
LEADING
ARCHITECTS AND
INTERIOR
DESIGNERS

1.5 mm

ACRYLIC SHEETS

&

1mm

ASA SHEETS

6H

ANTI SCRATCH



PRIMELUXE

🌐 www.primeluxe.in

📷 [@primeluxehome](https://www.instagram.com/primeluxehome)

✉ primeluxepl@gmail.com



PRIMELUXE

INDIA'S No. 1 LUXURIOUS

LUMINOUS

Layers

ACRYLIC &
ASA SHEETS

About us

Prime Luxe is dedicated to crafting the finest Acrylic and ASA Sheets that combine cutting-edge design with exceptional performance. Our products are engineered with a focus on sustainability, functionality, and style, offering a versatile range of high-quality surfaces that meet the demands of modern interiors.

From high gloss acrylic sheets to scratch-resistant surfaces, Prime Luxe products are designed to enhance both the beauty and durability of your spaces. Available in a variety of striking colors and finishes, our materials provide the perfect balance of form and function, ensuring that your designs are not only visually stunning but also built to last.

With eco-friendly principles at our core, Prime Luxe delivers innovative solutions that offer endless possibilities for both residential and commercial applications. Experience the future of design with Prime Luxe—where elegance meets performance.

Our Edge

Prime Luxe is a brand that stands at the intersection of innovation, craftsmanship, and design excellence. Specializing in premium laminates, Prime Luxe creates a wide range of decorative surfaces that offer both versatility and style. With a commitment to sustainability, Prime Luxe's products seamlessly combine eco-friendly materials with sophisticated aesthetics. The Prime Luxe collection reflects a harmonious balance of form and function, where each laminate is designed to elevate spaces while maintaining a focus on environmental responsibility. Offering an extensive range of designer laminates, Prime Luxe brings unique and elegant solutions to every design project.



TERMITE & BOR-
ER FREE



1.5 MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



VERTICALLY
APPLICABLE



WATER &
STAIN PROOF



SCRATCH &
FADE PROOF

100%

GENUINE &
BEST QUALITY



ANTI
YELLOW



LESS
BREAKAGE

Applications

There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of EDGE BAND may vary from the same color Acrylic Laminate Sheet. Actual color of Acrylic Sheet and EDGE BAND may vary from this brochure . Please open the roll immediately, Do not pressurize while opening roll



KITCHEN



BATHROOM




RESIDENTIAL



HEALTH CARE



COMMERCIAL



WALLS



HOSPITALITY


Cleaning

Prime Luxe products come with a high-quality protective film that shields the surface during installation. This film should only be removed once all installation work is complete. After the film is peeled off, you may notice some residual adhesive solvent on the surface, which can attract dust due to the electrostatic charge that forms. Additionally, the laminate surface undergoes a natural curing process as it is exposed to normal air humidity. This curing generally takes around 72 hours for the surface to fully settle and harden. To speed up the process and ensure the surface remains flawless, we recommend using COLIN Glass Cleaner and a soft Microfiber Cloth to gently clean the laminate surface. This will help maintain the high gloss and aesthetic appeal of your Prime Luxe laminates.

Please avoid using the following cleaning products on Prime Luxe laminates: • Alcohol-based cleaners • Solvent-based cleaners • Petrol, pinewood, or oil-based cleaners • Cloths other than microfiber. Using these products can damage the surface and compromise the finish. Always opt for gentle, appropriate cleaning solutions to maintain the quality and appearance of your laminate.

Available in size: 2440 mm x 1220 mm (8 X 4 ft)

Thickness : ACRYLIC SHEETS :1.5 mm & 2.5 mm (FLUTE) ASA SHEETS :1 mm





PRIMELUXE

ROYAL MARBLES
ACRYLIC SHEETS

Elegance meets durability



Our marble Acrylic Sheets for timeless style and modern strength

- TERMITE & BORER FREE
- 15 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF

ROYAL MARBLES




★★



PL902 - Gold Mist ★★

ROYAL MARBLES


- TERMITE & BORER FREE
- 15 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF



PL903 - Super Mist ★★



PL904 - Shine Mist ★★



PL905 - Granite Mist ★★

Elevate every surface




Marble Acrylic Sheets, where luxury meets durability.



- TERMITE & BORER FREE
- 15 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF

ROYAL MARBLES



PL906 - Marble Glow ★



PL907 - Noir Gloss ★★



PL908 - Ivory Essence ★

Marble Acrylic Sheets, strong and stunning.

ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)




PRIMELUXE

MINIMAL SOLIDS


ACRYLIC SHEETS




MINIMAL SOLIDS




PL600 - Arctic Glow




PL601 - Alpine Gloss



PL602 - Ivory Mist



PL603 - Storm Grey



PL604 - Ashen Glow



PL605 - Charcoal Frost



Strength meets clarity



Solid Acrylic Sheets for every need!

Durable clear and built to last



Trust our solid Acrylic Sheets!



TERMITE & BORER FREE



15 MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



VERTICALLY APPLICABLE




WATER & STAIN PROOF



SCRATCH & FADE PROOF


MINIMAL SOLIDS



PL606- Caramel Veil



PL607 - Desert Veil




PL608 - Buff Essence



PL609 - Neutral Haven



PL610 - Neutral Luxe




PL611 - Granite Sheen



MINIMAL SOLIDS


- TERMITE & BORER FREE
- 15 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF




PL612 - Blue Horizon



PL613 - Blue Frost




PL614 - Arctic Blue



PL615 - Ocean Luxe



PL616 - Marine Veil



PL617 - Blue Haven



ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Precision, durability, clarity



Solid Acrylic Sheets you can rely on!

Where durability shines



Solid Acrylic Sheets for every project!



MINIMAL SOLIDS



PL618- Forest Veil




PL619 -Jade Luxe



PL620 - Pine Glow



PL621 - Sage Mist



PL622 - Meadow Glow




PL623 - Mint Frost

ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



MINIMAL SOLIDS



PL624 - Rosy Veil



PL625 - Petal Sheen




PL626 - Crimson Luxe



PL627 - Ash Mist



PL628 - Slate Glow



PL629 - Noir Mist



ALL GLOSSY COLOUR EDGEBAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Sleek and timeless design



Solid Acrylic Sheets built to inspire.



PRIMELUXE

OPULENT PICKS

ACRYLIC SHEETS


Shine with Strength



Metallic Sheets for Bold, Lasting Impact.

- TERMITE & BORER FREE
- 15 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF


SHINY MATAALLICS




PL800 - Ivory Frost ★



PL801 - Blue Mirage ★



PL802 - Sable Shine ★



PL803 - Stealth Silver ★

ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)




SHINY MATA LLICS



PL804 - Sine Amor ★



PL805 - Grand Gold ★



PL806- Metal Shine ★



PL807 - Granite Grey ★



ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Elevate Every Surface



Metallic Sheets That Reflect Your Style.


Marble Flute Sheets

- TERMITE & BORER FREE
- 2.5 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF

MAJESTIC FLUTES



PL1000 - Fluted Stone ★★



PL1001 - Veined Marble ★★


Where Timeless Elegance Meets Textured Beauty!






MAJESTIC FLUTES

- TERMITE & BORER FREE
- 2.5 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF



PL1002 - Rich Walnut



PL1003 - Soft Taupe



ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Shape Your Space with Striking Depth and Design!



Fluted Sheets for a Bold, Modern Look



TERMITE & BORER FREE



2.5 MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



VERTICALLY APPLICABLE



WATER & STAIN PROOF



SCRATCH & FADE PROOF

MAJESTIC FLUTES



PL1004 - White Ridge



PL1005 - Fluted Cream




MAJESTIC FLUTES

- TERMITE & BORER FREE
- 2.5 MM THICKNESS
- LIGHT WEIGHT
- DURABILITY & STRENGTH
- VERTICALLY APPLICABLE
- WATER & STAIN PROOF
- SCRATCH & FADE PROOF



PL1006 - Grey Lines



PL1007 - Stealth Sky



ALL GLOSSY COLOUR EDGEBAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Sculpted Elegance, Endless Possibilities

Where Clarity Meets Style!



TERMITE & BORER FREE



2.5 MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



VERTICALLY APPLICABLE



WATER & STAIN PROOF



SCRATCH & FADE PROOF

REFLECTING MIRRORS



PL1100 - Radiant Gold ★★



PL1101 - Sterling Silver ★★



PL1102 - Rose Shine ★★



PL1103 - Shadow Grey ★★

Reflect Perfection with Acrylic Mirror Finish




ASA sheets transform your ordinary space into works of art, blending durability with creativity to bring style and function to life.


ASA

1mm






PL1500 - Crystal Light



PL1501 - Ivory Breeze



PL1502 - Bridge Stone



PL1503 - Ashen Sky



ALL GLOSSY COLOUR EDGEBAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)




Engineered Tough



Precision and power in every piece.



Smart Durability



PL1504 - Lunar Shine



PL1505 - Shadow Mist



PL1506 - Foggy Grey



PL1507 - Dawn Muse



ALL GLOSSY COLOUR EDGEBAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)




Timeless Toughness



Uncompromising strength, uncompromising style.

- 0% PVC
- 1 MM THICKNESS
- ANTI FINGERPRINT
- SATIN SMOOTH FINISH
- UV PROTECTED
- EASILY BENDABLE
- SCRATCH & CRACK PROOF
- TERMITE & BORER FREE

ASA



PL1508 - Autumn Leaf



PL1509 - Ashen Brow



PL1510 - Walnut Shine



PL1511 - Coffee Bean

ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Lasting Impact



Materials that perform, year after year.

- 0% PVC
- 1 MM THICKNESS
- ANTI FINGERPRINT
- SATIN SMOOTH FINISH
- UV PROTECTED
- EASILY BENDABLE
- SCRATCH & CRACK PROOF
- TERMITE & BORER FREE

ASA



PL1512 - Blue Lagoon



PL1513 - Rich Aqua




PL1514 - Soft Pink



PL1515 - Mid Night

ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)





PL1516 - Mint Fresh



PL1517 - Clover Field



PL1518 - Clover Field



PL1519 - Sea Glow



ALL GLOSSY COLOUR EDGE BAND AVAILABLE (SIZE - 23 mm X 1 mm X 25 mtr)



Stylish Strength



Power up your designs with lasting durability.




PRIMELUXE

EXTRA STRONG EXTRA BOND

**USE ONLY
PRIME LUXE BOND.**
NOW AVAILABLE IN: 800gm

Prime Luxe Extra Strong Extra Bond is the ultimate adhesive choice for ASA and acrylic sheets, delivering unmatched strength and precision. Engineered for superior performance, it ensures a flawless, long-lasting bond even in the toughest conditions. Trusted by professionals.

Pannel Structure



Shake the clenser well and spry it lighty on the surface. Don't over spray any chemical.



Wipe the surface clean using a clean cloth in a light circular motion.

Warranty

Our verbal and written instructions on technical matters are based on our experience or the data we have, and are provided to the best of our knowledge. However, we do not assume any liability beyond this guidance. Once our products are used in conjunction with any conditions outside of our control (such as weather, application errors, or workmanship issues), the responsibility for their performance shifts to the user. Please note that factors like improper application, environmental conditions, and subpar materials (e.g., plywood or MDF) may cause issues such as cracking, bubbling, or discoloration. Since the application and handling of our products are beyond our control once they leave our facility, we cannot offer any warranty or guarantee. As a result, no claims will be entertained or compensated for under these circumstances. If any issues arise, the company may only consider them within one year from the date of purchase. After one year, no complaints will be addressed, and any compensation will be limited to the value of the products supplied. Please use only PRIME LUXE bond for applications of PRIME LUXE ACRYLIC lamination and ASA sheets for good bonding with substrate.

Reasons for bubble formation

To avoid delamination / air bubbles in between surface laminate and plywood (or any other suitable substrate) the below points need to take care of it.



bonded in extremely humid conditions




Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer))




When substrate loses moisture after installation.



Debonding in certain areas because of uneven substrate surracc



Insufficient or lack of pressing during the bonding period of laminate



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 fflong)

Causes of yellow patches and colour fading after installation



Exposure of direct sunlight can gravely affect a laminate's appearance



Use foinferior or sub- stand- ard dipped plywood or dipped lipping patti which may chemically react with the adhesive



The use of synthetic rubber adhesives such aSRs / Jat Pat, Bostic, Heatx, etc.



Prolonged exposure to high temperature (above 30C*6)



If hot cookware or utensils are directly placed on the laminate

Causes of crack lines or stretch lines in sheets

To avoid the inside cracks &stretch line Do not store acrylic sheet in roll form.

- Improper handling / transportation / storage of sheets
- Improper installation of sheets
- Improper or unintended usage of sheets
- Lack of or improper maintenance of sheets
- Exposure to high temperatures
- Unauthorized alteration to the products Outdoor applications
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.

